

Jindal Stainless Steel Pipe Price List :

Nominal Bore		Outside Diameter	Sch-5S		Rates	Sch-10S		Rates	Sch-40S		Rates
mm	inch	mm	Wt mm	Weight (Kg/mt)	INR/Kg	Wt mm	Weight (Kg/mt)	INR/Kg	Wt mm	Weight (Kg/mt)	INR/Kg
3	1/8	10.3	1.24	0.276	267.500	1.24	0.28	235.40	1.73	0.37	235.40
6	1/4	13.7	1.24	0.390	267.500	1.65	0.49	235.40	2.24	0.631	235.40
10	3/8	17.1	1.24	0.490	224.700	1.65	0.63	235.40	2.31	0.845	235.40
15	1/2	21.3	1.65	0.800	214.000	2.11	1.00	214.00	2.77	1.27	203.30
20	3/4	26.7	1.65	1.03	203.30	2.11	1.28	203.30	2.87	1.68	192.60
25	1	33.4	1.65	1.30	203.30	2.77	2.09	197.95	3.38	2.50	197.95
32	1 1/4	42.2	1.65	1.65	203.30	2.77	2.70	197.95	3.56	3.38	197.95
40	1 1/2	48.3	1.65	1.91	203.30	2.77	3.11	197.95	3.68	4.05	197.95
50	2	60.3	1.65	2.40	203.30	2.77	3.93	197.95	3.91	5.44	197.95
65	2 1/2	73.0	2.11	3.69	203.30	3.05	5.26	197.95	5.16	8.63	197.95
80	3	88.9	2.11	4.51	203.30	3.05	6.45	197.95	5.49	11.30	197.95
100	4	114.3	2.11	5.84	203.30	3.05	8.36	197.95	6.02	16.07	197.95
125	5	141.3	2.77	9.47	214.00	3.40	11.57	203.30	6.55	21.8	203.30
150	6	168.3	2.77	11.32	219.35	3.40	13.84	214.00	7.11	28.3	208.65
200	8	219.1	2.77	14.79	219.35	3.76	19.96	214.00	8.18	42.6	208.65
250	10	273.1	3.40	22.63	235.40	4.19	27.78	214.00	9.27	60.5	208.65
300	12	323.9	3.96	31.25	235.40	4.57	36.00	224.70	9.52	73.88	208.65

350	14	355.6	3.96	34.36	235.40	4.78	41.3	230.05	11.13	94.59	208.65
400	16	406.4	4.19	41.56	235.40	4.78	47.29	230.05	12.7	123.30	214.00
450	18	457.2	4.19	46.80	235.40	4.78	53.42	230.05	14.27	155.80	214.00
500	20	508.0	4.78	59.25	235.40	5.54	68.71	230.05	15.09	183.42	214.00
600	24	609.6	5.54	82.47	235.40	6.35	94.45	235.40	17.48	255.41	214.00

Jindal Stainless Steel 304 Pipe Price List :

304 STAINLESS STEEL PIPE ERW (WELDED PIPES) DIMENSION AND PRICE LIST											
AS PER ASTM & WEIGHT-KG. / Meter. (ANSI B36.19)											
Nominal Bore		Outside Diameter	Sch-5S		Rates	Sch-10S		Rates	Sch-40S		Rates
mm	INCH	mm	Wt mm	Weight (Kg/mt)	INR/Kg	Wt mm	Weight (Kg/mt)	INR/Kg	Wt mm	Weight (Kg/mt)	INR/Kg
3	1/8	10.3	1.24	0.276	267.500	1.24	0.28	235.40	1.73	0.37	245.40
6	1/4	13.7	1.24	0.390	267.500	1.65	0.49	235.40	2.24	0.631	245.40
10	3/8	17.1	1.24	0.490	224.700	1.65	0.63	235.40	2.31	0.845	245.40
15	1/2	21.3	1.65	0.800	214.000	2.11	1.00	214.00	2.77	1.27	213.30
20	3/4	26.7	1.65	1.03	203.30	2.11	1.28	203.30	2.87	1.68	202.60
25	1	33.4	1.65	1.30	203.30	2.77	2.09	197.95	3.38	2.50	207.95
32	1 1/4	42.2	1.65	1.65	203.30	2.77	2.70	197.95	3.56	3.38	207.95
40	1 1/2	48.3	1.65	1.91	203.30	2.77	3.11	197.95	3.68	4.05	207.95
50	2	60.3	1.65	2.40	203.30	2.77	3.93	197.95	3.91	5.44	207.95
65	2 1/2	73.0	2.11	3.69	203.30	3.05	5.26	197.95	5.16	8.63	207.95
80	3	88.9	2.11	4.51	203.30	3.05	6.45	197.95	5.49	11.30	207.95
100	4	114.3	2.11	5.84	203.30	3.05	8.36	197.95	6.02	16.07	207.95

125	5	141.3	2.77	9.47	214.00	3.40	11.57	203.30	6.55	21.8	213.30
150	6	168.3	2.77	11.32	219.35	3.40	13.84	214.00	7.11	28.3	218.65
200	8	219.1	2.77	14.79	219.35	3.76	19.96	214.00	8.18	42.6	218.65
250	10	273.1	3.40	22.63	235.40	4.19	27.78	214.00	9.27	60.5	218.65
300	12	323.9	3.96	31.25	235.40	4.57	36.00	224.70	9.52	73.88	218.65
350	14	355.6	3.96	34.36	235.40	4.78	41.3	230.05	11.13	94.59	218.65
400	16	406.4	4.19	41.56	235.40	4.78	47.29	230.05	12.7	123.30	224.00
450	18	457.2	4.19	46.80	235.40	4.78	53.42	230.05	14.27	155.80	224.00
500	20	508.0	4.78	59.25	235.40	5.54	68.71	230.05	15.09	183.42	224.00
600	24	609.6	5.54	82.47	235.40	6.35	94.45	235.40	17.48	255.41	224.00

Jindal SS 202 Pipe Price List :

SS Square Tubing Price in India ex. Mumbai	Price / each
1 OD Square x 7/8	\$21.50
1/2 OD Square x 3/8	\$12.29
1 1/2 ODx 1 3/8	\$40.61
3/4 OD Square x 5/8	\$21.45
1 OD Square x 3/4	\$42.80
1-1/2 ODx1-1/4	\$70.21
1 1/4 OD x1 1/8	\$35.98
2 OD Square x 1 7/8	\$51.21
2 OD Square x 1 3/4	\$107.69
1 OD Square x 27/32	\$30.00
1 3/4 ODx1 37/64	\$71.95
1 1/2 ODx 1 1/8	\$110.77
1 1/4 ODx1 1/64	\$52.67
2 OD x 1 41/64	\$140.30
1 1/2 ODx1 11/32	\$52.50

Jindal Stainless Steel Pipe Sizes :

NB (MM)	SIZE OD (MM)	THICKNESS (MM)	SCHEDULE		UNIT WT (KG PER MTR)	PRICE LIST IN INR (INR PER MTR)	ERW PIPE PRICE (\$ PER MTR)
15	21.30	2.11	1/2"	SCH.10S	1.02	231.54	\$ 3.32
	21.30	2.77	1/2"	SCH.40S	1.29	292.83	\$ 4.20
20	26.70	2.11	3/4"	SCH.10S	1.30	295.10	\$ 4.23
	26.70	2.87	3/4"	SCH.40S	1.71	388.17	\$ 5.57
25	33.40	2.77	1"	SCH.10S	2.12	481.24	\$ 6.91
	33.40	3.38	1"	SCH.40S	2.54	576.58	\$ 8.27
32	42.20	2.77	1.1/4"	SCH.10S	2.73	619.71	\$ 8.89
	42.20	3.56	1.1/4"	SCH.40S	3.44	780.88	\$ 11.21
40	48.30	2.77	1.1/2"	SCH.10S	3.16	717.32	\$ 10.29
	48.30	3.68	1.1/2"	SCH.40S	4.11	932.97	\$ 13.39

50	60.30	2.77	2"	SCH.10S	3.99	905.73	\$ 13.00
	60.30	3.91	2"	SCH.40S	5.52	1253.04	\$ 17.98
65	73.00	3.05	2.1/2"	SCH.10S	5.34	1212.18	\$ 17.40
	73.00	5.16	2.1/2"	SCH.40S	8.76	1988.52	\$ 28.54
80	88.90	3.05	3"	SCH.10S	6.55	1486.85	\$ 21.34
	88.90	5.49	3"	SCH.40S	11.45	2599.15	\$ 37.30
100	114.30	3.05	4"	SCH.10S	8.48	1924.96	\$ 27.62
	114.30	6.02	4"	SCH.40S	16.32	3704.64	\$ 53.16
125	141.30	3.40	5"	SCH.10S	11.74	2664.98	\$ 38.24
	141.30	6.55	5"	SCH.40S	22.09	5014.43	\$ 71.96
150	168.30	3.40	6"	SCH.10S	14.03	3184.81	\$ 45.70
	168.30	7.11	6"	SCH.40S	28.69	6512.63	\$ 93.46
200	219.10	3.76	8"	SCH.10S	20.27	4601.29	\$ 66.03
	219.10	8.18	8"	SCH.40S	43.18	9801.86	\$ 140.66

Jindal Stainless Steel Pipe Weight Chart :

Designation of Diameter		O/D	Nominal Wall Thickness																	
		DIA	SCH.5S		SCH.5		SCH 10S		SCH.10		SCH.20S		SCH.30		SCH.40S		SCH.40		SCH 60	
(A)	(B)	Meter MM	Wall Thk	Weight Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr	Wall Thk	WT Kg/Mtr
6	1/8	10.3	1	0.23			1.2	0.27			1.5	0.33			1.73	0.37				
8	1/4	13.7	1.2	0.37			1.65	0.49			2	0.58			2.24	0.64				
10	3/8	17.2	1.2	0.47			1.65	0.63			2	0.74			2.31	0.87				
15	1/2	21.3	1.65	0.01	1.65	0.81	2.11	1.02	2.11	1.02	2.5	1.15			2.77	1.29				
20	3/4	26.7	1.65	1.03	1.65	1.03	2.11	1.3	2.11	1.3	2.5	1.49			2.87	1.71				
25	1	33.4	1.65	1.31	1.65	1.31	2.77	2.13	2.77	2.13	3	2.24			3.38	2.54				
32	1 1/4	24.2	1.65	1.67	1.65	1.67	2.77	2.73	2.77	2.73	3	2.9			3.56	3.44				
40	1 1/2	48.3	1.65	1.93	1.65	1.93	2.77	3.16	2.77	3.16	3	3.35			3.68	4.11				
50	2	60.3	1.65	1.93	1.65	2.42	2.77	3.99	2.77	3.99	3.5	4.9			3.91	5.52				
65	2 1/2	73	2.11	3.75	2.11	3.75	3.05	5.34	3.05	5.34	3.5	6			5.16	8.77				
80	3	88.9	2.11	4.59	2.11	4.59	3.05	6.56	3.05	6.56	4	8.37			5.49	11.47				
90	3 1/2	101.6	2.11	5.25	2.11	5.25	3.05	7.53	3.05	7.53	4	9.62			5.74	13.78				
100	4	114.3	2.11	5.93	2.11	5.93	3.05	8.5	3.05	8.5	4.5	12.18			6.02	6.32				
125	5	141.3	2.77	9.61	2.77	9.61	3.4	11.74	3.43	11.74	5	16.8			6.55	22.10				
150	6	168.3	2.77	11.47	2.77	11.47	3.4	14.04	3.43	14.04	5.5	22.08			7.11	28.69				
200	8	219.1	2.77	15	2.77	15	3.76	20.77	3.76	20.27	6.35	33.82	7.04	37.38	8.18	43.2			10.81	53.9
250	10	273.1	3.4	22.95	3.4	22.95	4.19	28.2	4.19	28.2	6.35	42.41	7.8	51.81	9.27	61.22			12.2	82.8
300	12	323.9	3.96	31.72	4.19	33.6	4.57	36.54	4.57	36.54	6.35	50.48	8.38	66.2	9.53	75.01	10.31	80.94	14.27	110.62
350	14	355.6	3.96	34.86			4.78	41.99	6.35	55.53	7.92	68.95	9.53	82.58	9.53	82.58	11.13	96	15.06	128.42
400	16	406.4	4.19	42.2			4.78	48.07	6.35	63.61	7.92	79.03	9.53	94.7	9.53	94.7	12.7	125.2	16.66	162.59
450	18	457.2	4.19	47.46			4.78	54.15	6.35	71.69	7.92	89.1	11.13	124.32	9.53	106.83	14.27	158.27	19.05	209
500	2C	508	4.78	60.23			5.54	69.7	6.35	79.76	9.53	118.93	12.7	157.51	9.53	118.9	15.06	185.89	2062	251.65
550	22	558.8	4.78	65.95			5.54	76.75	6.35	87.84	9.53	131.07	12.7	173.66	9.53	131.07	15.88	216.04	22.23	298.55
600	24	609.6	5.54	83.8			6.35	95.92	6.35	95.92	9.53	143.2	14.27	212.72	9.53	143.2	17.45	258.74	24.59	360.21
650	26	660.4							7.92	129.4	12.7	205.97			9.53	155.32				
700	28	711.2							7.92	139.47	12.7	222.13	15.88	276.48	9.53	167.44				
750	3C	762	6.35	120.15			7.92	149.55	7.92	149.55	12.7	238.28	15.88	296.68	9.53	179.56				
800	32	812.8							7.92	159.62	12.7	254.44	15.88	316.88	9.53	191.69	17.48	348.11		
850	34	863.6							7.92	169.64	12.7	270.5	15.88	336.96	9.53	203.74	17.48	370.22		
900	36	914.4							7.92	179.77	12.7	286.75	15.88	357.28	9.53	215.93	19.05	427.09		

Jindal SS 304 Pipe Weight Chart :

Stainless Steel Pipe Type	Sizes (in inches)	OD (in mm)	SS Pipe Wall Thickness (in mm)	Stainless steel pipe weight (in lbs/ft)	Stainless steel pipe weight (in kg/m)
304-125-405-40S	1/8	0.405 10.287	0.068 1.7272	0.245	0.36460018
304-250-540-40S	1/4	0.54 13.716	0.088 2.2352	0.425	0.6324697
304-375-675-40S	3/8	0.675 17.145	0.091 2.3114	0.568	0.845277152
304-500-840-40S	1/2	0.84 21.336	0.109 2.7686	0.851	1.266427564
304-750-1050-40S	3/4	1.05 26.67	0.113 2.8702	1.131	1.683113484
304-1000-1315-40S	1	1.315 33.401	0.133 3.3782	1.68	2.50011552
304-1250-1660-40S	1 1/4	1.66 42.164	0.140 3.556	2.274	3.384084936
304-1500-1900-40S	1 1/2	1.9 48.26	0.145 3.683	2.719	4.046317916
304-2000-2375-40S	2	2.375 60.325	0.154 3.9116	3.654	5.437751256
304-2500-2875-40S	2 1/2	2.875 73.025	0.203 5.1562	5.795	8.62391038
304-3000-3500-40S	3	3 1/2 88.90	0.216 5.4864	7.579	11.278794956
304-3500-4000-40S	3 1/2	4 101.6	0.226 5.7404	9.113	13.561638532
304-4000-4500-40S	4	4.500 114.3	0.237 6.0198	10.794	16.063242216
304-5000-5563-40S	5	5.563 141.3002	0.258 6.5532	14.623	21.761422172
304-6000-6625-40S	6	6.625 168.275	0.280 7.112	18.981	28.246840884
304-8000-8625-40S	8	8.625 219.075	0.322 8.1788	28.564	42.507916496
304-10000-10750-40S	10	10.75 273.05	0.365 9.271	40.498	60.267665672
304-12000-12750-40S	12	12.75 323.85	0.375 9.5250	49.580	73.78317112


SS 202 Square Pipe Weight Chart :

PIPE SIZE	O.D.	5s	True 5	10s	True 10	20	30	True 40	STD.	60	True 80	XH	100	120	140	True 160	XXH
1/8	0.405		.035 .1383	.049 .1863	.049 .1863			.068 .2447	.0668 .2447		.095 .3145	.095 .3145					
1/4	0.540		.049 .2570	.065 .3297	.065 .3297			.088 .4248	.088 .4248		.119 .5351	.119 .5351					
3/8	0.675		.049 .3276	.065 .4235	.065 .4235			.091 .5676	.091 .5676		.126 .7388	.126 .7388					
1/2	0.840	.065 .5383	.065 .5380	.083 .6710	.083 .6710			.109 .8510	.109 .8510		.147 1.088	.147 1.088				.187 1.304	.294 1.714
3/4	1.050	.065 .6838	.065 .6838	.083 .8572	.083 .8572			.113 1.131	.113 1.131		.154 1.474	.154 1.474				.218 1.937	.308 2.441
1	1.315	.065 .8678	.065 .8678	.109 1.404	.109 1.404			.133 1.679	.133 1.679		.179 2.172	.179 2.172				.250 3.765	.382 5.214
1 1/4	1.660	.065 1.107	.065 1.107	.109 1.806	.109 1.806			.140 2.273	.140 2.273		.191 2.997	.191 2.997				.250 3.765	.382 5.214
1 1/2	1.900	.065 1.274	.065 1.274	.109 2.085	.109 2.085			.145 2.718	.145 2.718		.200 3.631	.200 3.631				.281 4.859	.400 6.408
2	2.375	.065 1.604	.065 1.604	.109 2.638	.109 2.638			.154 3.653	.154 3.653		.218 5.022	.218 5.022				.343 7.444	.436 9.029
2 1/2	2.875	.083 2.475	.083 2.475	.120 3.531	.120 3.531			.203 5.793	.203 5.793		.276 7.661	0.276 7.661				.375 10.01	.552 13.70
3	3.5	.083 3.029	.083 3.029	.120 4.332	.120 4.332			.216 7.576	.216 7.576		.300 10.25	0.300 10.25				.438 14.32	.600 18.58
3 1/2	4.0	.083 3.472	.083 3.472	.120 4.973	.120 4.973			.226 9.109	.226 9.109		.318 12.51	0.318 12.51					.636 22.85
4	4.5	.083	.083	.120	.120			.237	.237	.281	.337	0.337		.438		.531	.674

		3.915	3.915	5.613	5.613			10.79	10.79	12.66	14.98	14.98		19.00		22.51	27.54
4 1/2	5.0								.247 12.53			0.355 17.61					.710 32.53
5	5.563	.109 6.349	.109 6.349	.134 7.770	.134 7.770			.258 14.62	.258 14.62		.375 20.78	0.375 20.78		.500 27.04		.625 32.96	.750 38.55
6	6.625	.109 7.585	.109 7.585	.134 9.290	.134 9.289			.280 18.97	.280 18.97		.432 28.57	0.432 28.57		.562 36.39		.719 45.30	.864 53.16
7	7.625								.301 23.57			0.500 38.05					.875 63.08
8	8.625	.109 9.914	.109 9.914	.148 13.40	.148 13.40	.250 22.36	.277 24.70	.322 28.55	.322 28.55	.406 35.64	.500 43.39	0.500 43.39	.594 50.87	.719 60.63	.812 67.76	.906 74.69	.875 72.42
9	9.625								.342 33.90			0.500 48.72					
10	10.75	.134 15.19	.134 15.19	.165 18.65	.165 18.70	.250 28.04	.307 34.24	.365 40.48	.365 40.48	.500 54.74	.594 64.33	0.500 54.74	.719 76.93	.844 89.20	1.000 104.1	1.125 115.6	
11	11.75								.375 45.55			0.500 60.07					
12	12.75	.156 21.07	.165 22.18	.180 24.16	.180 24.20	.250 33.38	.330 43.77	.406 53.53	.375 49.56	.562 73.16	.688 88.51	0.500 65.42	.844 107.2	1.000 125.5	1.125 139.7	1.312 160.3	
14	14.0	.156 23.07		.188 27.73	.250 36.71	.312 45.68	.375 54.57	.437 63.37	.375 54.57	.594 84.91	.750 106.1	0.500 72.09	.938 130.7	1.094 150.7	1.250 170.2	1.406 189.1	
16	16.0	.165 27.90		.188 31.75	.250 42.05	.312 52.36	.375 62.58	.500 82.77	.375 62.58	.656 107.5	.844 136.5	0.500 82.77	1.031 164.8	1.219 192.3	1.438 223.5	1.593 245.1	
18	18.0	.165 31.43		.188 35.76	.250 47.39	.312 59.03	.437 82.06	.562 104.8	.375 70.59	.750 138.2	.938 170.8	0.500 93.45	1.156 208.0	1.375 244.1	1.562 274.2	1.781 308.5	
20	20.0	.188 39.78		.218 46.05	.250 52.73	.375 78.60	.500 104.1	.594 122.9	.375 78.60	.812 166.4	1.031 208.9	0.500 104.1	1.281 256.1	1.500 296.4	1.750 341.1	1.968 379.0	
22	22.0				.250 58.07	.375 86.61	.500 114.81		.375 86.61	.875 197.42	1.125 250.82	0.500 114.81	1.357 302.88	1.625 353.61	1.875 403.01	2.125 451.07	
24	24.0	.218 55.37		.250 63.41	.250 63.41	.375 94.62	.562 140.8	.687 171.2	.375 94.62	.969 238.1	1.219 296.4	0.500 125.5	1.531 367.4	1.812 429.4	2.062 483.1	2.343 541.9	
26	26.0				.312 85.73				.375 102.63			0.500 136.17					
30	30.0	.250 79.43		.312 98.93	.312 99.08		.625 196.08		.375 118.65			0.500 157.53					
34	34.0				.312 112.43		.625 222.78	.688 244.60	.375 134.67			0.500 178.89					
36	36.0				.312 119.11		.625 236.13	.688 282.36	.375 142.68			.500 189.57					
42	42.0						.625 276.17	.688 330.41	.375 166.71			0.500 221.61					
PIPE SIZE	O.D.	5s	True 5	10s	True 10	20	30	True 40	STD.	60	True 80	XH	100	120	140	True 160	XXH



Jindal SS Seamless Pipe



Jindal SS Square Pipe